## Approved for healthy- and explosion prof cleaning

The M class version is equipped with washable M-Class PET Fleece filter element - Easy and economical maintenance. The IVB 7 X offers features like 70 I. stainless steel container, tilt or lift off! And a robust steel frame. A filtration bag to be used for dust in class St1, St2, St3 in zone 22 A std. dust bag to be used for NON hazardous and NON ATEX dust.

- Safety vacuum cleaner for dustclass M ATEX Zone 22 approved
- single phase vacuum cleaner EC drive motor technology, long life / ATEX applications
- SoftStart: A gentle motor startup keeps the starting current low. For easy starting on limited electrical systems Auto On/Off. In combination with powered tools the machine starts and stops automatically when you start or stop the power tool Tilt or LiftOut container emptying.
- The 70 liter stainless steel container can be easily tilted in the frame or lifted off for emptying.

The IVB 7X M class is equipped with the unique EC drive motor system. This ensures long live time and enables use in ATEX zone 22 areas. The IVB 7X is approved according to ATEX directive 94/9/EC for the use in Zone 22.



Picture shown may not represent model quoted

<ul> <li>Standard</li> </ul>	equipment
------------------------------	-----------

otandara oquipinon						
	Included accessories	Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB	
Filter	Filter					
0	FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	1	•	•	
System TYPE	E 22 (ATEX) Hose Vacuum Cleaner			-		
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	1	•	•	
Model		NILFISK IVB 7-M B1 NILFISK IVB 7-M B1 230/1/50 EU 110/1/50 GB				
Ref. no.	Ref. no. 302001895			01895	302002305	
PRODUCT F	EATURES					
Filter bag			•	•	•	
Motor speed control				•	•	
Automatic On/Off-elec. tools				•	•	
ATEX hazard	lous TYPE 22 approval			•	•	
Extra socket	for tool			•	•	



## Approved for healthy- and explosion prof cleaning

Technical specifications	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
Grounded	YES	YES
Voltage (V)	220-240	110-120
Frequency (Hz)	50-60	50-60
Ip protection class	IP54	IP54
Dust class	М	М
Rated power (W)	1200	1200
Suction power end of tube (W)	270	270
Airflow without hose (I/sec)	56	56
Vacuum (kPa)	25	25
Vacuum max (kPa)	25	25
Sound pressure level at 1.5 m (dB(A) ISO 3744)	53.5	53.5
Container capacity (I)	70	70
Dust bag capacity (I)	40	40
Main filter type	PET	PET
Main filter area (cm²)	3000	3000
Exhaust filter ULPA U15 (cm²)	-	-
Inlet (mm)	50 type 22	50 type 22
Length x width x height (mm)	580x605x970	580x605x970
Weight (kg)	27.2	27.2

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories	Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
System TYPE 22 (ATEX) Tube/Nozzle				
BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	1	0	0
COARSE DIRT NOZZLE TYPE22 Ø50x200MM ALU	42835	1	0	0
CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	1	0	0
CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	1	0	0
CURVED EXTENSION TUBE TYPE22 Ø50x1100 S	33609	1	0	0
CURVED HAND TUBE TYPE22 Ø36MM SS	44188	1	0	0
DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	1	0	0
DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	1	0	0
EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	1	0	0
FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	1	0	0
FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	1	0	0
FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	1	0	0
System 50 Vac Floor Nozzle				



## Approved for healthy- and explosion prof cleaning

	Accessories	Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
ろか	FIXED FLOOR NOZZLE Ø50X600MM ALU	302001481	1	0	0
Filter Bag					
BO to	FILTER BAG ATTIX 7 5 PCS	302001484	1	0	0
24.0	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0
Disposal Bag					
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	0	0
System TYPE	22 (ATEX) Hose Vacuum Cleaner				
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	1	•	•
	HOSE Ø50X4000MM CHIP TYPE 22	42825	1	0	0
	HOSE Ø50X8000MM CHIP TYPE 22	63710	1	0	0
Vacuum Acce	ssory Set				
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	1	0	0
Filter			1	1	
O	FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	1	•	•
Bag	Bag				
the Con	FILTER BAG IVB-7 5 PCS	302001909	1	0	0

