

The Nilfisk VL Wet and Dry Series

- Reducing dust and costs.





VL500 35 liter version



Big areas to clean? Try the squeegee accessory for the VL500.



Dual filtration enables you to clean both wet and dry without changing filters



A flood pump is available as an accessory, and is the ideal solution for moving large volumes of liquid

Wet & dry vacuum cleaners for all applications

The new family of wet & dry vacuum cleaners contains variants from 20 to 75 liter containers so you can feel certain that we have something that fits your needs.

The VL series offers you a wide portfolio of thoroughly tested machines with a number of new innovations to help you do a good cleaning job with maximum help from the machine.

Whether you need to clean huge areas or small spots, wet, dry or a combination - we have the machine for you.

The VL wet & dry series from Nilfisk is designed and developed to the highest standards: Yours!
By partnering with our customers and users we have achieved a wet & dry vacuum cleaner that meets the requirements of the most demanding end users.

Combined with Nilfisk service and support, our wet & dry portfolio provides you with a reliable, high performance cleaning solution that is easy to operate with an attractive cost of ownership.

VL200 and VL500 are ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications.



VL200: This handy machine is available with an Inox container for the extra tough environments



VL200: Compact and ergonomic design for easy transportation

We asked you, and this is your answer

VL200 is the compact and transportable solution for small wet and dry cleaning applications our VL200 machine is the perfect choice. You can choose between a 20 or 30 liter machine with nice and handy features. Both variants have the built in semi-automatic filter cleaning system

Push & Clean for quick and handy cleaning of the filter helping you maintaining the high suction power on the machine. The handy machine is available with an Inox container for the extra tough environments.



VL500 makes daily operation easy, fast and safe

- By transferring the weight as you lift the container, the Nilfisk Ergo Tipping system enables you to empty a completely filled container of fluid without excessive effort.
- Emptying the container without having to remove the motor head makes operation fast and easy, without risk of damage to critical components.
- With the dual filtration system, the VL500 can be used in both wet and dry environments without the need to change filters for different applications.
- The unique design of the VL500 with single latch locking is not only signaling quality and innovation but also high performance and reliability.



Easy and fast emptying of the VL500 container thanks to the unique Ergo Tipping system. Emptying the machine without having to remove the motor head makes daily cleaning easier and safer



Winner of three awards in 2013 (VL500 series)

VL200 Model overview

Available with stainless steel container in 30 litre version →

Push&Clean semi-automatic filter cleaning system →

Washable PET filter →

Robust design →



← Built in flexible storage of hose and accessories

← Exhaust air blow function

← Compact and ergonomic design for easy transportation

← Lightweight container with handle for easy emptying

VL500 Model overview

The motor head remains closed and in place during container emptying →

Wet stack filter protects motor from foam ingress →

Stainless steel tubes prevent corrosion and wear →

Choose from 35, 55 and 75 litre versions →



← Dual or single motor







← Dual filtration for both wet and dry cleaning

← Fail safe filter design makes operation easier

← Ergo tip makes emptying the container easy and effortless

← Features like the motor head, push handle and container locking mechanisms are designed for single handed use

Application filter configuration suggestions

	Mesh wet filter	Dry cartridge filter	HEPA H13	Cloth wet & dry filter	Fixed floater	Detachable floater
						
Application						
General light cleaning e.g. kitchen spills				X	X	
Floor restoration e.g. foamy substances	X	X				X
Very dry & dusty e.g. wood shops			X	X		X
Very wet e.g. flood situations	X	X				X
Different/changeable environments	X	X				X
Production	X	X	(X)			X
Hotels	X	X				X



The reliability and performance that our customers demand

Technical specifications

Description	Unit	VL200 20 PC	VL200 30 PC INOX
IP protection class		IP24	IP24
Rated power	W	1200	1200
Max power	W	1500	1500
Suction power end of tube	W	250	250
Airflow	l/sec.	48	48
Vacuum at nozzle	kPa	23.5	23.5
Sound pressure level BS 5415	dB(A)+/-2	64	64
Sound power level IEC 704	dB(A)+/-2	72	72
Container capacity	litre	20	30
Cable length	m	10	10
Hose length	m	1.9	1.9
Main filter area	cm ²	3000	3000
HEPA filter area	cm ²	-	-
Length x width x height	cm	38x39x50.5	39x40x63.5
Weight	kg	7.5	10.5

Specifications and details are subject to change without prior notice.

Technical specifications

Description	Unit	VL500 35 Ergo	VL500 55 Ergo	VL500 75 Ergo	VL500 35 Basic	VL500 55 Basic	VL500 75 Basic
IP protection class		IP24	IP24	IP24	IP24	IP24	IP24
Rated power	W	1250	1250/2400	1250/2400	1250	1250/2400	1250/2400
Max power	W	1350	1350/2500	1350	1350	1350	1350/2500
Suction power end of tube	W	250	200	200	250	200	200
Airflow	l/sec.	48	48/72	48/72	48	48/72	48/72
Vacuum at nozzle	kPa	20	20/21	20/21	20	20/21	20/21
Sound pressure level BS 5415	dB(A)+/-2	62	64/66	64/66	62	64/66	64/66
Sound power level IEC 704	dB(A)+/-2	81	82/84	85/84	81	82/84	82/84
Container capacity	litre	35	55	75	35	55	75
Cable length	m	10	10	10	10	10	10
Hose length	m	1.9	2.5	2.5	1.9	2.5	2.5
Main filter area	cm ²	1051	1840	1840	1051	1840	1840
HEPA filter area	cm ²	2070	4410	4410	-	-	-
Length x width x height	cm	46x42x73	84x62x89	84x62x103	46x42x73	84x62x100	84x62x100
Weight	kg	12.5	26.5/27.5	26.5/28.5	11.5	24.5/25.5	26.5/28.5
Filter type:							
Sack filter					●	●	●
Dual filter		●	●	●			
HEPA filter		●	●	●			

Specifications and details are subject to change without prior notice.

- = Standard feature
- = Optional feature