

VP600

Efficient and energy saving





User friendly and easy to reach accessories



HEPA H13 exhaust filter is standard on all VP600 variant



Magnetic hinges securing high reliability

Efficient and Energy Saving Cleaning Performance

- with a magnetic attraction!

Nilfisk VP600 is the efficient and advanced choice ensuring cost-effective cleaning of applications such as hotels, contract cleaning, restaurants, offices and institutions.

VP600 offers a wide range of features to choose from and you can find exactly the variant that fits your specific cleaning job. Choose the cord solution that suits you and helps you reduce cleaning time and improve the cleaning process. Great user benefits and clever design offers you what you'd expect from a Nilfisk vacuum cleaner.

- 350/800 w fan unit with an A rated Energy Labelling
- Power boost function for optimized power consumption and cleaning performance

- HEPA exhaust filter as standard
- New magnetic closing of dust compartment securing high reliability and ease of use
- Available with standard cord, detachable cord or cord rewind
- Best in class sound quality

The modular design not only allows flexibility to choose exactly what you need but it also makes the machine easy to maintain and service for years to come. When a cord is worn out or damaged, it can easily be replaced by a new cord module in no time, providing you with a machine that need never be out of service.



The modular VP600 allows flexibility to choose exactly what cord you need: standard, detachable or cord rewind



You expect it, we deliver it!

With the highly efficient energy saving fan unit, the sound level is tough to beat! This will enable cost-effective daytime cleaning in noise sensitive areas without disturbing customers in your shop, guests in your hotel or staff in the office.



Technical specifications

Description	Unit	VP600 BASIC	VP600 STD2	VP600 STD3
Item no.		107412036	41600803	41600804
Energy efficiency class		A	A	A
Annual energy consumption (kWh/annum)		23	15	15
Dust pick up on carpets		na	E	E
Dust pick up on hard floor		D	B	B
Dust re-emission class		A	A	A
Sound power level (dB(A) IEC/EN 60335-2-69)		71	66	66
Rated power	W	800	350/800	350/800
Suction power end of tube	W	175	75/175	75/175
Airflow	l/sec.	30	24/30	24/30
Vacuum at nozzle	kPa	22	15/22	15/22
Sound pressure level BS5414	dB(A)	54	47/54	47/54
Dust bag capacity	litre	10	10	10
HEPA H13	cm ²	Yes	Yes	Yes
Cable length	m	10 (Fixed)	15 (Detachable)	10 (Rewind)
Length x width x height	cm	48x30x27	48x30x27	48x30x27
Weight (machine only)	kg	7	7	8

Specifications and details are subject to change without prior notice.



Mobile scan for further info

Nilfisk A/S
Kornmarksvej 1 · DK-2605 Brøndby · Denmark
Tel.: +45 43 23 81 00 · Fax: +45 43 43 77 00
mail.com@nilfisk.com
www.nilfisk.com

